AMENDMENT TO THE CLAIMS:

The following claim set replaces all prior versions, and listings, of claims in the application:

- 1. (currently amended) Process for making a monofilament-like product from a precursor containing at least one strand of polyolefin fibres, comprising the steps of:
 - a) exposing [[the]] <u>a</u> precursor <u>of indefinite length containing at least one</u> <u>strand comprised of a spun yarn of polyolefin staple fibres</u> to a temperature within the melting point range of the polyolefin <u>fibres</u> for a time sufficient to at least partly fuse <u>outer surface layers of</u> adjacent <u>polyolefin</u> fibres <u>to one another</u>, and
 - b) simultaneously <u>with step a)</u> stretching the precursor at a draw ratio of at least 1.0, characterised in that the strand is a spun yarn made from polyolefin staple fibres.
- 2. (original) Process according to claim 1, wherein the draw ratio is from 1.2 to 25.
- 3. (previously presented) Process according to claim 1, wherein the polyolefin is ultra- high molar mass polyethylene.
- 4. (previously presented) Process according to claim 1, wherein the staple fibres have been obtained by stretch-breaking of a polyolefin multifilament yarn.
- 5. (previously presented) Process according to claim 1, wherein the precursor contains plied and twisted strands.
- 6. (previously presented) Process according to claim 1, further comprising a step preceding step a) of pretreating the precursor in order to enhance inter fibre bonding.

VEILLAT et al Serial No. 10/530,435January 22, 2008

- 7. (original) Process according to claim 6, wherein pretreating comprises applying an oil to the precursor.
- 8. (original) Process according to claim 6, wherein pretreating comprises applying a polyurethane composition to the precursor.
- 9. (previously presented) Process according to claim 1, further comprising a step of applying a coating composition to the product after steps a) and b).
- 10. (currently amended) Monofilament-like product comprising an at least partly fused spun yarn made from polyolefin staple fibres <u>made</u> , obtainable by the process according to claim 1.
- 11. (currently amended) <u>A fishing line which comprises a</u> Use of the monofilament-like product according to claim 10 for making various semi-finished and end-use products, like fishing-lines or cut-resistant articles.
- 12. (new) A cut-resistant article which comprises a monofilament-like product according to claim 10.